The second

J. H. Lambright

Tellicreas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN The application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF Seventeen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS IFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

COTTON

'Lambright X-15-4'

In Testimony Wincrest, Thave hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, DC this 10th day of June in the year of our Lord one thousand nine hundred and seventy-four

Earl But Secretary of Agriculture

(DATE)

FORM APPROVED OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

1. VARIETY NAME OR TEMPORARY	2. KIND NAME		FOR OFFICIAL USE ONLY PVPO NUMBER		
DESIGNATION					
Lambright X-15-4	Upland Co	Upland Cotton		72091	
3. GENUS AND SPECIES NAME	4. FAMILY NAME (B	otenical)	FILING DATE	TIME	
	Gossypium	Hirsutum L.	12.22.22	3	
C	5. DATE OF DETER	5. DATE OF DETERMINATION		CHARGES	
Genus Gossypium	Year 1969		57 <i>50°°</i>		
6. NAME OF APPLICANT(S)	7. ADDRESS (Street (Code)	and No. or R.F.D. No.	City, State, and ZIP	8. TELEPHONE AREA CODE AND NUMBER	
J.H. Lambright	Route 2,	Slaton, Te	xas 79364	806-996-2866	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.)		10. STATE OF INCORPORATION 11. DATE OF I		11. DATE OF INCOR- PORATION	
13. CHECK BOX BELOW FOR EACH ATTAC		Variety (See Secti	on 52, P.L. 91-577)		
128. Exhibit B, Botanical Des					
12c. Exhibit C, Objective Desc 12c. Exhibit D, Data Indicative	•	У			
	-				
12E. Exhibit E, Statement of th	ne Basis of Applicant	t's Ownership			
The applicant declares that a viable ance of a certificate and will be replicate Section 52, P.L. 91-577).	enished periodically	in accordance with	n such regulations as	s may be applicable.	
(See Section 83(a), P.L. 91-577)	(If ''Yes,'' answer 1	4B and 14C below.) LYES NO		
148. Does the applicant(s) specify that limited as to number of generation		14C. If "Yes," to beyond breed		erations of production	
Applicant is informed that false repre	sentation herein can	jeopardize protect	ion and result in per	nalties.	
The undersigned applicant(s) of this uniform, and stable as required in Sec Plant Variety Protection Act (P.L. 9)	ction 41 and is entitl	novel plant variety ed to protection un	believes that the vo der the provisions o	ariety is distinct, f Section 42 of the	
February 18, 1972	-		SIGNATURE OF APPLICA	bright	

(SIGNATURE OF APPLICANT)



INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$50.00 fee to U.S. Dept. of Agriculture, Consumer and Marketing Service, Grain April Division, Hyattsville, Maryland 20782. Retain one copy for your files All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety.
- 12a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 12b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 12c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 12d Provide complete data indicative of novelty. Seed and plant specimens may be submitted and seeds submitted may be sterile. Where possible, include photographs of plant comparisons, chemical tests, etc..
- 12e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

Exhibit A. Origin and Breeding History of the Lambright X-15-4 Cotton Variety

The Lambright X=15-4 variety has been developed from a cross made in 1964, by J.H. Lambright, by using the Del Cerro and the Lambright 123 BR=1 cottons, the 123 BR=1 being an upland short staple stormproof, and the Del Cerro a longer staple loose lock cotton.

The Lambright 123 BR-1 cotton showed Bacterial Blight resistance to all 4 Races of a mixture of, Race 1, Race 2, and Variant 5, Variant 6, of Xanthamonas Malvacearum, conducted at the Texas Agricultural Experiment Station at Lubbock Texas in 1965.

The Lambright X-15-4 cotton had good agronomic and fiber properties in the early stages of reproduction and multiplication, but was lacking the necessary amount of stormproof characteristics for once over stripper type harvest, this situation was overcome by 1968, further improvements were made in 1969, and this was when I first determined I had a new variety. The row height is being regulated by removing an occasional tall plant through the reproduction and multiplication stages.

2

Exhibit B. Botanical Description of the Lambright X=15=4 Cotton Variety

The Lambright X-15-4 variety has no unusual botanical seed or seedling characteristics, normal glanded, annual plants, of medium height, in the smooth leaf class, foliage light, determinant type growth, medium size, 3 to 5 lobe leaves, darker green in color, occasional vegetative branching, the flowers are medium in size, and borne singly, 5 petals, the corolla and pollen are light creamy or creamy yellow in color, (as are most commercial varieties), short jointed, 3 to 5 boll fruiting branches, creating a cylindrical or conical form, the bolls are medium to large in size, 4 and 5 locks, round ovate in shape, stormproof, the seed are medium in size, short ovate in shape, and coated with a short whitish gray linters.

The X-15-4 variety is an earlier maturing cotton, with a higher lint percent, and a much higher disease tolerence, than the X-15-3 variety, with all the other properties equal or near the same.

Exhibit C. Objective Description of the Lambright X-15-4 Cotton Variety

The Lambright X-15-4 variety is a normal glanded cotton, annual plants of medium height, medium size main stem, very erect, early maturity, with determinant type growth, an occasional basal vegetative branch, of the smooth leaf class, good root system that supplies the plant well, medium size, 3 to 5 lobe leaves, darker green in color, foliage light. The flowers are medium in size, 5 petals, and borne singly, the corolla and pollen are light creamy or creamy yellow in color, short jointed, 1 to 5 boll fruiting branches, creating a cylindrical of conical form, the fruit is medium to large in size, 4 and 5 locks, round to round ovate in shape, slightly beaked, 60 bolls seed cotton per 1b.. lint percent 38 to 40 percent, stormproof, The typical range of fiber properties are, lint length, 1 1/16 to 1 1/8 inches. P.S.I. 90,000 to 95,000 lbs., micronaire reading of 4.0 to 4.6 . medium size seed, ovate in shape, coated with a whitish gray linters, 3,600 to 3,800 seed per 1b..

110 to 120 days to maturity.

The Lambright X-15-4 cotton has been developed for once over stripper type harvest, not suitable for spindle picking. Has good tolerence to Verticillium and Fusarium wilt, with little or no Bacterial Blight.

FORM APPROVED. OMB NO. 40-R3712
EXHIBIT C

FORM GR-470-8 (10-2-72)

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY

(Cotton)

5 3 SEED INDEX (Fuzzy seed basis)

INSTRUCTIONS: See Reverse. COTTON (GOSSYPIUM SPP.)					
NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY				
J.H. Lambright	PVPO NUMBER				
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	72091				
Route 2	VARIETY NAME OR TEMPORARY DESIGNATION				
Slaton, Texas 79364	Lambright X-15-4				
	the bayes below				
Place the appropriate number that describes the varietal character of this variety in Place a zero in first box (e-s. 0 8 9 or 0 9) when number is either 99 or less	or 9 or less.				
1. SPECIES:					
1 = GOSSYPIUM HIRSUTUM 2 = GOSSYPIUM BARBADENSE					
2. AREA(S) OF ADAPTION (0 = Not Tested, 1 = Not Adapted, 2 = Adapted):					
O EASTERN O DELTA O CENTRAL	HIGH PLAINS O EL PASO AREA				
O western low hot valleys	OTHER(Specify)				
3. MATURITY (50% Open Boll):					
(G) () NO. OF DAYS EARLIER THAN	2 = DELTAPINE 16 3 = STONEVILLE 213 5 = ACALA 1517-70 6 = ACALA 5J-1				
(C 5 NO. OF DAYS LATER THAN 4 = PAYMASTER 111 7 = LANKART 57	3 = OTHER (Specify)				
4. PLANT HABIT:	1 = FOLIAGE SPARSE 2 = DENSE				
2 1 = SPREADING 2 = INTERMEDIATE 3 = COMPACT	1 = FOLIAGE SPARSE 2 = DENSE 3 = OTHER (Specify)				
5. PLANT HEIGHT:					
O 6 CM. SHORTER THAN	2 = DELTAPINE 16 3 = STONEVILLE 213 5 = ACALA 1517-70 6 = ACALA SJ-1				
0 2" CM. TALLER THAN 4 PAYMASTER 111	5 = ACALA 1517-70 6 = ACALA SJ-1 3 = OTHER (Specify)				
6. MAIN STEM:					
3 1 = LAX 2 = ASCENDING 3 = ERECT 3 CM. TO FIRST FRUITING BRANCH	No. OF NODES TO FIRST FRUITING BRANC (from cotyledonary node)				
7. LEAF: /3 8. LEAF PUBESCENSE: 1 = GLABROUS (HAIRS AS SPARSE AS D2 SMOOTH)					
C 5 CM. WIDTH OF 2 = SMOOTH LEAF (DELTAPINE SMOOTH LEAF) 3 = PUBESCENT (STONEVILLE 213) 4 = HEAVY PUBESCENCE (H ₁ OR H ₂) 5 = OTHER (Specify)					
9. LEAF COLOR:	-442) 4 = RED				
3 = DARK GREEN (Acala) 5 = OTHER (Specify)	-4-RED				
10. LEAF TYPE:	-				
1 = NORMAL 2 = OKRA 3 = SUPER OKRA 4 = OTHER (Specify)					
11. FLOWER:					
2 1 = NECTARILESS 2 = NECTARIED					
Petals: 1 = CREAM 2 = YELLOW Pollen: 1 = CREAM 2 =	YELLOW				
12. FRUITING BRANCH TYPE:					
1 = CLUSTER 2 = SHORT 3 = NORMAL 1 = DETERMINATE 2 = 1	NDETERMINATE				
13. GOSSYPOL CONDITION:	1 - NORMAL BUD GOSSYBOL				
3 1 = GLANDLESS 2 = REDUCED GLANDS 3 = NORMAL GLANDS 4 = OTHER (Specify)	1 = NORMAL BUD GOSSYPOL 2 = HIGH BUD GOSSYPOL				
14. SEEDS: 1 = SPARSE (GI	REGG 35) 2 = MODERATE (DPL-16)				

Seed Fuzz: 3 = HEAVY (ACALA SJ-1) 4 = OTHER (Specify)

From Oct 8. 47%

EXHIBIT D

Data Indicative of Novelty

Application No. 72091, Cotton 'Lambright X-15-4'

'Lambright X-15-4' is most similar to 'Lambright 123-BR-1,' one of its parents, including its fruiting habits, storm resistance, short joints and resistance to bacterial blight races 1 and 2 and variants 5 and 6, but 'Lambright X-15-4' has 0.1% grams larger bolls, 0.06 inches longer and 22,000 PSI stronger fiber. It is an average of 4 inches taller, more erect and sets fruit higher off the ground.

6.91 See letter 1/10/74

'Lambright X-15-4' is resistant to Verticillium and Fusarium wilt, Ascochyta blight and anthracnose, while 'Lambright 123-BR-1' is not.

J.H. Lambright

7

Received with letter Oct 8,

Exhibit E. Statement of the Basis of Applicants Ownership

I hereby declare that the foregoing statements, and information submitted, are true and correct to the best of my knowledge and belief.

And that I am the originator, breeder, and rightful owner, of the following varieties of cotton being submitted for plant protection at this time,

Lambright X-15-3-A variety

Lambright L-X-28 variety

Lambright GL-4 variety

Lambright X-15-4 variety

This Day, February 18, 1972

Signed. The Fairleright